

LEADER 150 START



12V



- Battery charger and starter: WET/START/STOP battery charger and cranking of any type of 12V petrol engine.
- Normal charge, fast (BOOST) charge, rapid cranking selection.
- Display of charging and cranking current.
- Protection against overcharging and pole inversion.

TECHNICAL DATA

| | | | | | |
|---------------------------|-------------------|-----------------------------|--------------|----------------------------|----------------------------|
| CODE | 807538 | CHARGE AND STARTING VOLTAGE | 12 V | MIN.RATED REFERENCE CAPAC. | 25 Ah |
| SINGLEPHASE MAINS VOLTAGE | 230 V | EFFECTIVE CHARGING CURRENT | 20 A | MAX.RATED REFERENCE CAPAC. | 250 Ah |
| MAINS FREQUENCY | 50 / 60 Hz | RATED CHAR.CUR.EN60335-2-29 | 14 A | ADJUSTMENT POSITIONS | 2 |
| CHARGING ABSORBED POWER | 0,3 kW | START CUR.1V/C EN60335-2-29 | 80 A | DIMENSIONS (LxWxH) | 22,5 x 29 x 20,5 cm |
| STARTING ABSORBED POWER | 1,4 kW | MAX STARTING CURRENT | 140 A | WEIGHT | 6,4 kg |

SUPPLIED ACCESSORIES

| | |
|--------|----------------------------------|
| 123987 | CABLE 4 MMQ 1,5 M AND WORK CLAMP |
| 123988 | CABLE 4MMQ 1,5M + POSITIVE CLAMP |

OPTIONAL ACCESSORIES

BATTERY CHARGERS FUSES

| | |
|--------|------------------|
| 802258 | FUSES 30A 20 PCS |
|--------|------------------|

DESCRIPTION

Battery charger and starter for charging free electrolyte batteries (WET) with 12V voltage, and starting all types of petrol-driven vehicles.

Features:

- choice of normal charge, quick charge(BOOST), quick start
- display of charging and starting current
- protection against overloads and polarity reversal.

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST